

Tractor Overalls Knitting Pattern



Materials:

- Yarn: Approximately 100 yards of bulky (5) Yarn for the base (color 1) for smaller sizes and approx. 10 yards of accent color (color 2) for smaller sizes. Approximately 250 yards base color, and 10 yards accent color for larger sizes.

(I used Yarn Bee – Tender Touch)

- Knitting Needles: Size 5.5 mm (US9) Double Pointed Needles (or use the magic loop method) and Straight Needles

- Yarn or Tapestry Needle
- 2 Matching Buttons

Abbreviations:

- K2tog: Knit the next two stitches together
- **: Repeat the section in between the two stars as specified

Gauge:

8 sts and 11 rows = 2 inches (5 centimeters)
in stockinette stitch

It is important to check your gauge!

Average Baby Waist Sizes:

0-3 Months 13-16"
3-6 Months 14-18"
6-12 Months 16-20"
1-3 Years 18-20"

Newborn Pattern – Should measure approx. 13.5” (34.25cm) circumference and approx. 11.5” (29.25cm) in length

Front Portion of Overalls (make 1 unless you prefer no tractor on the front):

Cast on 17 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K13, P1, K1

Row 5: K1, P1, K1, P11, K1, P1, K1

Row 6: K1, P1, K13, P1, K1

Pick up color 2 yarn. For the next 8 rows, you'll be alternating between the two colors. Loosely carry whichever color you aren't currently using behind your work.

****Unless a stitch is specific as yellow, you should work all sts with green****

Row 7: K1, P1, K1, P3, P3 (yellow), P5, K1, P1, K1

Row 8: K1, P1, K3, K1 (yellow), K2, K1 (yellow), K1, K1 (yellow), K4, P1, K1

Row 9: K1, P1, K1, P3, P3 (yellow), P2, P1 (yellow), P2, K1, P1, K1

Row 10: K1, P1, K2, K7 (yellow), K4, P1, K1

Row 11: K1, P1, K1, P2, P8 (yellow), P1, K1, P1, K1

Row 12: K1, P1, K2, K9 (yellow), K2, P1, K1

Row 13: K1, P1, K1, P1, P9 (yellow), P1, K1, P1, K1

Row 14: K1, P1, K3, K2 (yellow), K2, K3 (yellow), K3, P1, K1

Drop and cut color 2 yarn

Row 15: K1, P1, K1, P11, K1, P1, K1

Row 16: K1, P1, K13, P1, K1

Repeat rows 15&16 until your piece measures approx. 5 inches (12.75cm) in length from the cast on edge.

End on a repeat of row 16. Cast on 10 more sts and place all 27 sts on stitch holder.

Back Portion of Overalls (make 1 unless leaving out tractor on front – then make 2):

Cast on 17 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K13, P1, K1

Row 5: K1, P1, K1, P11, K1, P1, K1

Repeat rows 4&5 until your piece measures approx. 5 inches (12.75cm) in length from the cast on edge.

End on a repeat of row 4. Cast on 10 more sts and place all 27 sts on stitch holder.

Place all 54 sts from the two sections above onto your double pointed needles. Be sure the two knitted sections are separated by the extra cast on sts. Also make sure that the right side (knit side) of your projects are facing in the same direction. You will be working with the right side facing from this point on.

Join in the round and knit to the center back of your project. You should place the stitch marker between the 8th and 9th sts of the back portion of overalls. From here on out, your stitch marker marks the beginning of any new rounds.

Round 1: Knit

Continue to knit each round until your piece measures approx. 9 inches (23cm) in length from the cast on edge of first section.

Round 2: Place the next 26 sts on a stitch holder, and work the gusset instructions into the 27th stitch only.

Gusset (See Photos on Last Page to Assist With Crotch Section):

Row 1: KFB (2 total sts)

Row 2: Purl

Row 3: KFB, KFB (4 total sts)

Row 4: Purl

Bind off as if to knit. Cut yarn, leaving a 12 inch yarn tail.

Return to round 2 and place the next 26 sts on a stitch holder. Work the above gusset instructions into the last stitch of round 2.

Turn your project inside out and use your yarn tails to seam up the two bind off edges of the crotch gussets along the inside edge.

First Leg:

Turn your project back right side out.

Return to the first 26 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 4 extra sts (one every other row) along the edge of the crotch gusset. (30 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 2.5 inches (6.5cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Second Leg:

Return to the second 26 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 4 extra sts (one every other row) along the edge of the crotch gusset (30 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 2.5 inches (6.5cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Straps (make 2):

Cast on 4 sts onto straight needles

Row 1: K1, P1, K1, P1

Row 2: P1, K1, P1, K1

Repeat rows 1&2 until your strap measures approx. 5.5 inches (14cm) from the cast on edge.

End on a repeat of row 2.

Row 3: K1, Bind off 2 middle sts in pattern, P1

Row 4: P1, Cast on 2 sts, K1

Bind off in K1, P1, K1, P1 pattern.

Sew straps to inside back of overalls so they will cross in the back. Sew two buttons onto front two corners of overalls and place through button holes.

0-3 Month Pattern – Should measure approx. 14.5” (36.75cm) in circumference and approx. 13” (33cm) in length

Front Portion of Overalls (make 1 unless you prefer no tractor on the front):

Cast on 17 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K13, P1, K1

Row 5: K1, P1, K1, P11, K1, P1, K1

Row 6: K1, P1, K13, P1, K1

Pick up color 2 yarn. For the next 8 rows, you'll be alternating between the two colors. Loosely carry whichever color you aren't currently using behind your work.

****Unless a stitch is specific as yellow, you should work all sts with green****

Row 7: K1, P1, K1, P3, P3 (yellow), P5, K1, P1, K1

Row 8: K1, P1, K3, K1 (yellow), K2, K1 (yellow), K1, K1 (yellow), K4, P1, K1

Row 9: K1, P1, K1, P3, P3 (yellow), P2, P1 (yellow), P2, K1, P1, K1

Row 10: K1, P1, K2, K7 (yellow), K4, P1, K1

Row 11: K1, P1, K1, P2, P8 (yellow), P1, K1, P1, K1

Row 12: K1, P1, K2, K9 (yellow), K2, P1, K1

Row 13: K1, P1, K1, P1, P9 (yellow), P1, K1, P1, K1

Row 14: K1, P1, K3, K2 (yellow), K2, K3 (yellow), K3, P1, K1

Drop and cut color 2 yarn

Row 15: K1, P1, K1, P11, K1, P1, K1

Row 16: K1, P1, K13, P1, K1

Repeat rows 15&16 until your piece measures approx. 5 inches (12.75cm) in length from the cast on edge.

End on a repeat of row 16. Cast on 12 more sts and place all 29 sts on stitch holder.

Back Portion of Overalls (make 1 unless leaving out tractor on front – then make 2):

Cast on 17 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K13, P1, K1

Row 5: K1, P1, K1, P11, K1, P1, K1

Repeat rows 4&5 until your piece measures approx. 5 inches (12.75cm) in length from the cast on edge.

End on a repeat of row 4. Cast on 12 more sts and place all 29 sts on stitch holder.

Place all 58 sts from the two sections above onto your double pointed needles. Be sure the two knitted sections are separated by the extra cast on sts. Also make sure that the right side (knit side) of your projects are facing in the same direction. You will be working with the right side facing from this point on.

Join in the round and knit to the center back of your project. You should place the stitch marker between the 8th and 9th sts of the back portion of overalls. From here on out, your stitch marker marks the beginning of any new rounds.

Round 1: Knit

Continue to knit each round until your piece measures approx. 10 inches (25.5cm) in length from the cast on edge of first section.

Round 2: Place the next 28 sts on a stitch holder, and work the gusset instructions into the 29th stitch only.

Gusset (See Photos on Last Page to Assist With Crotch Section):

Row 1: KFB (2 total sts)

Row 2: Purl

Row 3: KFB, KFB (4 total sts)

Row 4: Purl

Bind off as if to knit. Cut yarn, leaving a 12 inch yarn tail.

Return to round 2 and place the next 28 sts on a stitch holder. Work the above gusset instructions into the last stitch of round 2.

Turn your project inside out and use your yarn tails to seam up the two bind off edges of the crotch gussets along the inside edge.

First Leg:

Turn your project back right side out.

Return to the first 28 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 4 extra sts (one every other row) along the edge of the crotch gusset. (32 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 3 inches (7.5cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Second Leg:

Return to the second 28 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 4 extra sts (one every other row) along the edge of the crotch gusset (32 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 3 inches (7.5cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Straps (make 2):

Cast on 4 sts onto straight needles

Row 1: K1, P1, K1, P1

Row 2: P1, K1, P1, K1

Repeat rows 1&2 until your strap measures approx. 6 inches (15.25cm) from the cast on edge. End on a repeat of row 2.

Row 3: K1, Bind off 2 middle sts in pattern, P1

Row 4: P1, Cast on 2 sts, K1

Bind off in K1, P1, K1, P1 pattern.

Sew straps to inside back of overalls so they will cross in the back. Sew two buttons onto front two corners of overalls and place through button holes.

3-6 Month Pattern – Should measure approx. 15.5” (39.5cm) in circumference and 15” (38cm) in length

Front Portion of Overalls (make 1 unless you prefer no tractor on the front):

Cast on 19 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K15, P1, K1

Row 5: K1, P1, K1, P13, K1, P1, K1

Row 6: K1, P1, K15, P1, K1

Pick up color 2 yarn. For the next 8 rows, you'll be alternating between the two colors. Loosely carry whichever color you aren't currently using behind your work.

****Unless a stitch is specific as yellow, you should work all sts with green****

Row 7: K1, P1, K1, P4, P3 (yellow), P6, K1, P1, K1

Row 8: K1, P1, K4, K1 (yellow), K2, K1 (yellow), K1, K1 (yellow), K5, P1, K1

Row 9: K1, P1, K1, P4, P3 (yellow), P2, P1 (yellow), P3, K1, P1, K1

Row 10: K1, P1, K3, K7 (yellow), K5, P1, K1

Row 11: K1, P1, K1, P3, P8 (yellow), P2, K1, P1, K1

Row 12: K1, P1, K3, K9 (yellow), K3, P1, K1

Row 13: K1, P1, K1, P2, P9 (yellow), P2, K1, P1, K1

Row 14: K1, P1, K4, K2 (yellow), K2, K3 (yellow), K4, P1, K1

Drop and cut color 2 yarn

Row 15: K1, P1, K1, P13, K1, P1, K1

Row 16: K1, P1, K15, P1, K1

Repeat rows 15&16 until your piece measures approx. 6 inches (15.25cm) in length from the cast on edge.

End on a repeat of row 16. Cast on 12 more sts and place all 31 sts on stitch holder.

Back Portion of Overalls (make 1 unless leaving out tractor on front – then make 2):

Cast on 19 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K15, P1, K1

Row 5: K1, P1, K1, P13, K1, P1, K1

Repeat rows 4&5 until your piece measures approx. 6 inches (15.25cm) in length from the cast on edge.

End on a repeat of row 4. Cast on 12 more sts and place all 31 sts on stitch holder.

Place all 62 sts from the two sections above onto your double pointed needles. Be sure the two knitted sections are separated by the extra cast on sts. Also make sure that the right side (knit side) of your projects are facing in the same direction. You will be working with the right side facing from this point on.

Join in the round and knit to the center back of your project. You should place the stitch marker between the 9th and 10th sts of the back portion of overalls. From here on out, your stitch marker marks the beginning of any new rounds.

Round 1: Knit

Continue to knit each round until your piece measures approx. 11 inches (28cm) in length from the cast on edge of first section.

Round 2: Place the next 30 sts on a stitch holder, and work the gusset instructions into the 31st stitch only.

Gusset (See Photos on Last Page to Assist With Crotch Section):

Row 1: KFB (2 total sts)

Row 2: Purl

Row 3: KFB, KFB (4 total sts)

Row 4: Purl

Bind off as if to knit. Cut yarn, leaving a 12 inch yarn tail.

Return to round 2 and place the next 30 sts on a stitch holder. Work the above gusset instructions into the last stitch of round 2.

Turn your project inside out and use your yarn tails to seam up the two bind off edges of the crotch gussets along the inside edge.

First Leg:

Turn your project back right side out.

Return to the first 30 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 4 extra sts (one every other row) along the edge of the crotch gusset. (34 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 4 inches (10.25cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Second Leg:

Return to the second 30 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 4 extra sts (one every other row) along the edge of the crotch gusset (34 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 4 inches (10.25cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Straps (make 2):

Cast on 4 sts onto straight needles

Row 1: K1, P1, K1, P1

Row 2: P1, K1, P1, K1

Repeat rows 1&2 until your strap measures approx. 6.5 inches (16.5cm) from the cast on edge. End on a repeat of row 2.

Row 3: K1, Bind off 2 middle sts in pattern, P1

Row 4: P1, Cast on 2 sts, K1

Bind off in K1, P1, K1, P1 pattern.

Sew straps to inside back of overalls so they will cross in the back. Sew two buttons onto front two corners of overalls and place through button holes.

6-12 Month Pattern – Should measure approx. 16.5” (42cm) in circumference and approx. 16” (40.5cm) in length

Front Portion of Overalls (make 1 unless you prefer no tractor on the front):

Cast on 21 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K17, P1, K1

Row 5: K1, P1, K1, P15, K1, P1, K1

Row 6: K1, P1, K17, P1, K1

Pick up color 2 yarn. For the next 8 rows, you'll be alternating between the two colors. Loosely carry whichever color you aren't currently using behind your work.

****Unless a stitch is specific as yellow, you should work all sts with green****

Row 7: K1, P1, K1, P5, P3 (yellow), P7, K1, P1, K1

Row 8: K1, P1, K5, K1 (yellow), K2, K1 (yellow), K1, K1 (yellow), K6, P1, K1

Row 9: K1, P1, K1, P5, P3 (yellow), P2, P1 (yellow), P4, K1, P1, K1

Row 10: K1, P1, K4, K7 (yellow), K6, P1, K1

Row 11: K1, P1, K1, P4, P8 (yellow), P3, K1, P1, K1

Row 12: K1, P1, K4, K9 (yellow), K4, P1, K1

Row 13: K1, P1, K1, P3, P9 (yellow), P3, K1, P1, K1

Row 14: K1, P1, K5, K2 (yellow), K2, K3 (yellow), K5, P1, K1

Drop and cut color 2 yarn

Row 15: K1, P1, K1, P15, K1, P1, K1

Row 16: K1, P1, K17, P1, K1

Repeat rows 15&16 until your piece measures approx. 6.5 inches (16.51cm) in length from the cast on edge.

End on a repeat of row 16. Cast on 12 more sts and place all 33 sts on stitch holder.

Back Portion of Overalls (make 1 unless leaving out tractor on front – then make 2):

Cast on 21 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K17, P1, K1

Row 5: K1, P1, K1, P15, K1, P1, K1

Repeat rows 4&5 until your piece measures approx. 6.5 inches (16.5cm) in length from the cast on edge.

End on a repeat of row 4. Cast on 12 more sts and place all 33 sts on stitch holder.

Place all 66 sts from the two sections above onto your double pointed needles. Be sure the two knitted sections are separated by the extra cast on sts. Also make sure that the right side (knit side) of your projects are facing in the same direction. You will be working with the right side facing from this point on.

Join in the round and knit to the center back of your project. You should place the stitch marker between the 10th and 11th sts of the back portion of overalls. From here on out, your stitch marker marks the beginning of any new rounds.

Round 1: Knit

Continue to knit each round until your piece measures approx. 12 inches (30.5cm) in length from the cast on edge of first section.

Round 2: Place the next 32 sts on a stitch holder, and work the gusset instructions into the 33rd stitch only.

Gusset (See Photos on Last Page to Assist With Crotch Section):

Row 1: KFB (2 total sts)

Row 2: Purl

Row 3: KFB, KFB (4 total sts)

Row 4: Purl

Row 5: K1, M1, K2, M1, K1 (6 total sts)

Row 6: Purl

Bind off as if to knit. Cut yarn, leaving a 12 inch yarn tail.

Return to round 2 and place the next 32 sts on a stitch holder. Work the above gusset instructions into the last stitch of round 2.

Turn your project inside out and use your yarn tails to seam up the two bind off edges of the crotch gussets along the inside edge.

First Leg:

Turn your project back right side out.

Return to the first 32 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 6 extra sts (one every other row) along the edge of the crotch gusset. (38 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 4 inches (10.25cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Second Leg:

Return to the second 32 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 6 extra sts (one every other row) along the edge of the crotch gusset (38 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 4 inches (10.25cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Straps (make 2):

Cast on 4 sts onto straight needles

Row 1: K1, P1, K1, P1

Row 2: P1, K1, P1, K1

Repeat rows 1&2 until your strap measures approx. 7 inches (17.75cm) from the cast on edge.

End on a repeat of row 2.

Row 3: K1, Bind off 2 middle sts in pattern, P1

Row 4: P1, Cast on 2 sts, K1

Bind off in K1, P1, K1, P1 pattern.

Sew straps to inside back of overalls so they will cross in the back. Sew two buttons onto front two corners of overalls and place through button holes.

1-3 Year Pattern – Should measure approx. 18” (45.75cm) in circumference and approx. 18” (45.75cm) in length

Front Portion of Overalls (make 1 unless you prefer no tractor on the front):

Cast on 21 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K17, P1, K1

Row 5: K1, P1, K1, P15, K1, P1, K1

Row 6: K1, P1, K17, P1, K1

Pick up color 2 yarn. For the next 8 rows, you'll be alternating between the two colors. Loosely carry whichever color you aren't currently using behind your work.

****Unless a stitch is specific as yellow, you should work all sts with green****

Row 7: K1, P1, K1, P5, P3 (yellow), P7, K1, P1, K1

Row 8: K1, P1, K5, K1 (yellow), K2, K1 (yellow), K1, K1 (yellow), K6, P1, K1

Row 9: K1, P1, K1, P5, P3 (yellow), P2, P1 (yellow), P4, K1, P1, K1

Row 10: K1, P1, K4, K7 (yellow), K6, P1, K1

Row 11: K1, P1, K1, P4, P8 (yellow), P3, K1, P1, K1

Row 12: K1, P1, K4, K9 (yellow), K4, P1, K1

Row 13: K1, P1, K1, P3, P9 (yellow), P3, K1, P1, K1

Row 14: K1, P1, K5, K2 (yellow), K2, K3 (yellow), K5, P1, K1

Drop and cut color 2 yarn

Row 15: K1, P1, K1, P15, K1, P1, K1

Row 16: K1, P1, K17, P1, K1

Repeat rows 15&16 until your piece measures approx. 7 inches (17.75cm) in length from the cast on edge.

End on a repeat of row 16. Cast on 15 more sts and place all 36 sts on stitch holder.

Back Portion of Overalls (make 1 unless leaving out tractor on front – then make 2):

Cast on 21 sts onto straight needles using color 1 yarn

Row 1: K1, *P1, K1* Repeat across

Rows 2&3: Repeat row 1

Row 4: K1, P1, K17, P1, K1

Row 5: K1, P1, K1, P15, K1, P1, K1

Repeat rows 4&5 until your piece measures approx. 7 inches (17.75cm) in length from the cast on edge.

End on a repeat of row 4. Cast on 15 more sts and place all 36 sts on stitch holder.

Place all 72 sts from the two sections above onto your double pointed needles. Be sure the two knitted sections are separated by the extra cast on sts. Also make sure that the right side (knit side) of your projects are facing in the same direction. You will be working with the right side facing from this point on.

Join in the round and knit to the center back of your project. You should place the stitch marker between the 10th and 11th sts of the back portion of overalls. From here on out, your stitch marker marks the beginning of any new rounds.

Round 1: Knit

Continue to knit each round until your piece measures approx. 13 inches (33cm) in length from the cast on edge of first section.

Round 2: Place the next 35 sts on a stitch holder, and work the gusset instructions into the 36th stitch only.

Gusset (See Photos on Last Page to Assist With Crotch Section):

Row 1: KFB (2 total sts)

Row 2: Purl

Row 3: KFB, KFB (4 total sts)

Row 4: Purl

Row 5: K1, M1, K2, M1, K1 (6 total sts)

Row 6: Purl

Bind off as if to knit. Cut yarn, leaving a 12 inch yarn tail.

Return to round 2 and place the next 35 sts on a stitch holder. Work the above gusset instructions into the last stitch of round 2.

Turn your project inside out and use your yarn tails to seam up the two bind off edges of the crotch gussets along the inside edge.

First Leg:

Turn your project back right side out.

Return to the first 35 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 6 extra sts (one every other row) along the edge of the crotch gusset. (41 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 5 inches (12.75cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Second Leg:

Return to the second 35 sts you placed on a stitch holder.

Round 1: Knit each stitch around, then pick up and knit 6 extra sts (one every other row) along the edge of the crotch gusset (41 total sts)

Join in the round and place stitch marker.

Knit each round until your leg measures approx. 5 inches (12.75cm) in length from the crotch.

Round 2: *K1, P1* Repeat around

Round 3: *P1, K1* Repeat around

Round 4: *K1, P1* Repeat around

Bind off in pattern.

Straps (make 2):

Cast on 4 sts onto straight needles

Row 1: K1, P1, K1, P1

Row 2: P1, K1, P1, K1

Repeat rows 1&2 until your strap measures approx. 7.5 inches (19cm) from the cast on edge.

End on a repeat of row 2.

Row 3: K1, Bind off 2 middle sts in pattern, P1

Row 4: P1, Cast on 2 sts, K1

Bind off in K1, P1, K1, P1 pattern.

Sew straps to inside back of overalls so they will cross in the back. Sew two buttons onto front two corners of overalls and place through button holes.

Sample Gusset Photos



Photo 1 – Sample of what gusset will look like after creating 1 side. This is a crochet gusset, so it has no stitch holders.



Photo 2 – Sample of what gusset will look like after creating both sides. This is a crochet gusset, so once again, no stitch holders.



Photo 3 – Sample of seaming up the gusset. Work has been turned inside out at this point.



Photo 4 – Sample of seamed up crotch gusset.



Photo 5 – Shows where to pick up extra sts. Pick up the extra sts from the edge of crotch gusset for each leg.

This design, a written work and images are a copyright of ©MelodysMakings and may not be copied or reproduced in any way.

You have permission to sell finished products made from this pattern, but please leave a link to my website, www.melodys-makings.com, in your product listing specifying that I am the designer of this pattern. Thank you for supporting me as a work at home mother!